Subject index of volume 101

Acetylcholine 1, 376, 489 Acoustic startle response 414 Actigraph 250 Active avoidance 505 Acute tolerance 390 Adaptation 489 Adrafinil 62 Adrenalectomy 310 Adrenergic agonists 67 Adrenergic antagonists 67 α2-Adrenoceptor-mediated behaviour Adrenocorticotropin (ACTH) 34 Aging 23 Alcohol use 448 Alcohol use and menstrual cycle phase Alcohol-preferring rats 178 Alkylxanthines 147 N-allylnormetazocine 172 Alprazolam 539 Alprenolol 354 Alzheimer's disease 1 Amino acids 324 Amphetamine 112, 126, 338, 456 Amphetamine sensitization 465 Amphetamine-induced circling behavior 465 Amygdala 262 Analgesia 222 Animal model of anxiety 255 Animal models of anxiety 366, 396 Aniracetam 27, 43 Antagonism 142 Antiaggressive potency 396 Antidepressant effects 100 Antidepressants 62, 226, 481, 497 Anxiety 187, 196, 203, 292, 354, 511, Anxiolytic potency 396 Anxiolytics 255, 497 Apomorphine 62, 421 Ataxia 93, 196 Athetosis 112

Basal forebrain 1
Behavioral effects 142
Behavioural specificity 408
Behavioural specificity 408
Behavioural tests 344
Benzodiazepine 214, 525, 545, 550
Benzodiazepine and eating 214
Benzodiazepine and food hoarding 214
Benzodiazepine and learning 214
Benzodiazepine and rat behavior 214
Benzodiazepine and spatial learning 214
Benzodiazepines 160, 292, 396, 539
BRL 43694 244
Bromocriptine 178, 208
Bungarotoxin 310

Auditory evoked potential (AEP) 34

Caerulein 73, 384 Caffeine 160, 271, 366, 539 Calcium channel blockers 267 Calcium channels 240 Cardiovascular 359 Cathine 126 Cathinone 126 CCK_A receptors 384 Central catecholamine transmissions Central nervous effects 34 CGS 10746B 126 Chlolinesterase activity 489 Chlordiazepoxide 550 Chloride 545 Chlorpromazine 190 Cholecystokinin 384 Choline 489 Cholinergic receptor binding 310 Cholinesterase inhibitors 489 Chronic schizophrenia 132, 274 Chronic treatment 62 Circadian 271 Circadian rhythm 486 Clonidine 67, 100 Clozapine 67 Cocaine 18, 142, 190, 208, 262, 292 Cognitive functions 43 Conditioned place preference 118 Conditioned taste aversion 472 Conditioning 77, 421 Controlled release formulation 132 Cortex 187 Corticosterone 310 Corticotropin releasing hormone (h-CRH) 34 Cortisol 85, 284 CRF 366 Craving 555

Defense 511 Dementia 147 Depression 85, 403 Desipramine 100 Desmethylimipramine 208 Dexamphetamine 344 5,7-DHT lesion 187 Diazepam 214, 292, 408, 511 Dihydroxyphenylacetic acid 519 5.7-Dihydroxy-tryptamine 262 Diltiazem 267 Directional running 190 Discriminability 550 Discriminative stimulus 292 Dopamine 18, 126, 287, 338, 414, 431 Dopamine antagonists 560 Dopamine receptors 142 Dopamine turnover 519 L-Dopa 317 Dorsal noradrenergic bundle (DNB) Drinking 390 Drug dependence 292 Drug discrimination 126, 292 Drug discrimination test 39 Drug taking behavior 233 Drug withdrawal 292 Drug-induced rotation 190 Drugs of abuse 292

DSP4 505

Dyskinesia 112 Dystonia 431 D-1 receptor 287 D-2 receptors 62, 168

ECS 100
EEG 359
Electroconvulsive treatment 240
Elevated plus-maze 27
Enkephalin analogues 222
Epinephrine 505
Ergot alkaloids 147
Ethanol 93, 196, 203, 233, 292
Ethanol self-administration 178
Ethylketocyclazocine 172
Excitatory amino acids 456
Exploration 196
Exploration in mice 354

Feeding 408
Feeding elicitation 481
Field potentials 317
Flumazenil 525
Flumazenil and eating 214
Flumazenil and food hoarding 214
Flumazenil and rat behavior 214
α-Fluoromethylhistidine (FMH) 481
Fluphenazine decanoate 274
Food hoarding and anxiety 214
Food intake 137
Forced swim test 497
Fourth ventricle 222
Functional antagonism 57

GABA 73, 545
GABA/benzodiazepine receptor 1
GBR 12783 (1-[2-(diphenylmethoxy)ethyl]-4-(3-phenyl propenyl)piperazine) 344
GC-MS 73
Gerbil 244
Ginseng extract 486
GK 13=N-(1-(2-benzo[b]thiophenyl)cyclohexyl) piperidine (BTCP) 344
Glucose 555
Glutamate 421
Glutamic acid diethyl ester 456
Growth hormone 85
GR38032F 168, 408

Haloperidol 107, 338
Haloperidol decanoate 274
Hemicholinium-3-THA 376
Herrnstein's equation 560
Hippocampus 187
Home sleep recordings 568
Homovanillic acid 519
Hot plate test 240
5-HT_{2/1c} receptor 568
5-HT1A receptors 354
5HT 85
5-HT₃ receptor antagonist 244
5-HT_{1A} agonists 497
5-HT_{1A} autoreceptor 39

Subject index of volume 101

Acetylcholine 1, 376, 489 Acoustic startle response 414 Actigraph 250 Active avoidance 505 Acute tolerance 390 Adaptation 489 Adrafinil 62 Adrenalectomy 310 Adrenergic agonists 67 Adrenergic antagonists 67 α2-Adrenoceptor-mediated behaviour Adrenocorticotropin (ACTH) 34 Aging 23 Alcohol use 448 Alcohol use and menstrual cycle phase Alcohol-preferring rats 178 Alkylxanthines 147 N-allylnormetazocine 172 Alprazolam 539 Alprenolol 354 Alzheimer's disease 1 Amino acids 324 Amphetamine 112, 126, 338, 456 Amphetamine sensitization 465 Amphetamine-induced circling behavior 465 Amygdala 262 Analgesia 222 Animal model of anxiety 255 Animal models of anxiety 366, 396 Aniracetam 27, 43 Antagonism 142 Antiaggressive potency 396 Antidepressant effects 100 Antidepressants 62, 226, 481, 497 Anxiety 187, 196, 203, 292, 354, 511, Anxiolytic potency 396 Anxiolytics 255, 497 Apomorphine 62, 421 Ataxia 93, 196 Athetosis 112

Basal forebrain 1
Behavioral effects 142
Behavioural specificity 408
Behavioural specificity 408
Behavioural tests 344
Benzodiazepine 214, 525, 545, 550
Benzodiazepine and eating 214
Benzodiazepine and food hoarding 214
Benzodiazepine and learning 214
Benzodiazepine and rat behavior 214
Benzodiazepine and spatial learning 214
Benzodiazepines 160, 292, 396, 539
BRL 43694 244
Bromocriptine 178, 208
Bungarotoxin 310

Auditory evoked potential (AEP) 34

Caerulein 73, 384 Caffeine 160, 271, 366, 539 Calcium channel blockers 267 Calcium channels 240 Cardiovascular 359 Cathine 126 Cathinone 126 CCK_A receptors 384 Central catecholamine transmissions Central nervous effects 34 CGS 10746B 126 Chlolinesterase activity 489 Chlordiazepoxide 550 Chloride 545 Chlorpromazine 190 Cholecystokinin 384 Choline 489 Cholinergic receptor binding 310 Cholinesterase inhibitors 489 Chronic schizophrenia 132, 274 Chronic treatment 62 Circadian 271 Circadian rhythm 486 Clonidine 67, 100 Clozapine 67 Cocaine 18, 142, 190, 208, 262, 292 Cognitive functions 43 Conditioned place preference 118 Conditioned taste aversion 472 Conditioning 77, 421 Controlled release formulation 132 Cortex 187 Corticosterone 310 Corticotropin releasing hormone (h-CRH) 34 Cortisol 85, 284 CRF 366 Craving 555

Defense 511 Dementia 147 Depression 85, 403 Desipramine 100 Desmethylimipramine 208 Dexamphetamine 344 5,7-DHT lesion 187 Diazepam 214, 292, 408, 511 Dihydroxyphenylacetic acid 519 5.7-Dihydroxy-tryptamine 262 Diltiazem 267 Directional running 190 Discriminability 550 Discriminative stimulus 292 Dopamine 18, 126, 287, 338, 414, 431 Dopamine antagonists 560 Dopamine receptors 142 Dopamine turnover 519 L-Dopa 317 Dorsal noradrenergic bundle (DNB) Drinking 390 Drug dependence 292 Drug discrimination 126, 292 Drug discrimination test 39 Drug taking behavior 233 Drug withdrawal 292 Drug-induced rotation 190 Drugs of abuse 292

DSP4 505

Dyskinesia 112 Dystonia 431 D-1 receptor 287 D-2 receptors 62, 168

ECS 100
EEG 359
Electroconvulsive treatment 240
Elevated plus-maze 27
Enkephalin analogues 222
Epinephrine 505
Ergot alkaloids 147
Ethanol 93, 196, 203, 233, 292
Ethanol self-administration 178
Ethylketocyclazocine 172
Excitatory amino acids 456
Exploration 196
Exploration in mice 354

Feeding 408
Feeding elicitation 481
Field potentials 317
Flumazenil 525
Flumazenil and eating 214
Flumazenil and food hoarding 214
Flumazenil and rat behavior 214
α-Fluoromethylhistidine (FMH) 481
Fluphenazine decanoate 274
Food hoarding and anxiety 214
Food intake 137
Forced swim test 497
Fourth ventricle 222
Functional antagonism 57

GABA 73, 545
GABA/benzodiazepine receptor 1
GBR 12783 (1-[2-(diphenylmethoxy)ethyl]-4-(3-phenyl propenyl)piperazine) 344
GC-MS 73
Gerbil 244
Ginseng extract 486
GK 13=N-(1-(2-benzo[b]thiophenyl)cyclohexyl) piperidine (BTCP) 344
Glucose 555
Glutamate 421
Glutamic acid diethyl ester 456
Growth hormone 85
GR38032F 168, 408

Haloperidol 107, 338
Haloperidol decanoate 274
Hemicholinium-3-THA 376
Herrnstein's equation 560
Hippocampus 187
Home sleep recordings 568
Homovanillic acid 519
Hot plate test 240
5-HT_{2/1c} receptor 568
5-HT1A receptors 354
5HT 85
5-HT₃ receptor antagonist 244
5-HT_{1A} agonists 497
5-HT_{1A} autoreceptor 39

5HT_{1c}-receptor selectivity ratio 57
5-HT_{1c} receptors 57
Human 34
Human pharmacokinetics 274
Humans 160
6-Hydroxydopamine 287
5-Hydroxytryptamine-noradrenaline interactions 100
5-Hydroxytryptamine 497
Hypermotility 267
Hyper-reactivity 489
Hyperthermia 77
Hypoactivity 100
Hypothermia 67

ICI 169,369 568 Imipramine 371 Indomethacin 203 Indorenate 354 Interconversion 107 Intrathecal 222 Ipsapirone 354 Isolation 233

Jet-lag 250

Kainate 137

Learned helplessness 371, 403
Learning 505
Learning and memory 47
Levoprotiline 62
Locomotion 196, 332
Locomotor activation 421
Locomotor activity 18, 172, 338, 366
Long Sleep mice 18
Long-Sleep 93
Long-term treatment 431
L-364,718 384

Maintenance neuroleptic therapy 132 Male rat 118 Median forebrain bundle 262 Median raphe nucleus 137 Memory 27, 550 Memory rats 505 Mesolimbic system 338 Methiotepin 354 Methysergide 178 Metoclopramide 465 Mice 100, 190, 255, 267, 332, 408 Midazolam 250 MK-801 (Dizocilpine) 317 MK-801 [(+)-5-methyl-10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5,10imine maleate] 47 Monkeys 112 Monoamine metabolism 168 Monoamine metabolites 324 Mood 34, 160 Morphine 77, 172, 267, 472, 545 Motor activity 539 Motor capacity 560

Naloxone 172, 178, 282
Naltrexone 545
Neuroleptic 519
Neuroleptics 431
Neuronal histamine in the ventromedial

Mouse 203

nucleus 481 Neuropsychological tests 43 Nicotine 284, 310, 359 Nicotine sensitivity 284 Nifedipine 267 Night shift 271 Nigrostriatal system 338 [3H]nitrendipine binding 240 **NMDA 287** N-methyl-p-aspartate receptor antagonists 47 Nootropic drugs 43 Nootropics 147 Noradrenaline 376 Norepinephrine 505 Novelty 338 Nucleus accumbens 414

hypothalamus and the paraventricular

8-OH-DPAT 39, 408
Old rat 23
Ondansetron 168
Open-field activity 203
Opiates 332
Opioid peptides 118
Opioid receptors 332
Opioid-mediated analgesia 472
Organic psychosyndrome 43
Organic solvents 43
Organophosphorus compounds 489
Orofacial movements 431
Oxaprotiline 62
Oxazepam 226
Panax ginseng 486

[3H]Paroxetine binding 187 Pavlovian conditioning 465 Paw pressure 222 pCPA 39 Penile erections 57 Performance 160 Pharmacodynamics 226 Pharmacogenetics 93 Pharmacokinetics 132, 226 Pharmacological action 282 Phencyclidine 317, 456 Phenylethanolamine-N-methyltransferase (PNMT) 196 Pindolol 354 Plus-maze 203 Premenstrual Assessment Form (PAF) 448 Premenstrual dysphoria 448 Prepulse inhibition 414

Quisqualate 137

Prolactin 85, 274

Pupillary changes 282

Repeated exposure 489

Rabbit 172
Rat 39, 57, 233, 317, 371, 390, 481, 486, 511, 560
Rats 77, 376, 403
Receptor binding 539
Receptors 137
α-1 receptors 62
Reduced haloperidol 107
Reinforcement 560
Remoxipride 132

Reuptake inhibitors 371 Reversible metabolism 107 Rhesus 112 Rhesus monkey 208 Ritanserin 568 Rodents 344

SCH 23390 465 Schedule-controlled running 190 Schizophrenia 324, 414 Scopolamine 27 Sedation 100, 396 Seizure susceptibility 244 Seizures 525 Self-administration 208, 262 Self-stimulation 384 Sensitivity 390 Sensitization 77, 519 Sensorimotor function 47 Sensorimotor gating 414 Serotonin 262, 376 Serotonin levels 187 Serotonin uptake blockers 403 Serum 324 Sex differences 511 Sexual reward 118 Shock stress 371 Short Sleep mice 18 Short-Sleep 93 SKF 38393 287 Sleepiness 160 Sleepiness/alertness 271 Sleep-wake 250 Slow wave sleep 568 Slow wave sleep (SWS) 486 Smoking 284, 359, 555 Social drinking by women 448 Social interaction 244 Soman 489 Spatial discrimination 376 Spatial learning 23 Squirrel monkeys 142 Stereotyped behaviour 421 Stimulants 456 Strains 390 Stress 233, 255, 366 Substance P 23 Sulpiride 324

Tacrine (tetrahydroaminoacridine) 27
Tail immersion 222
Tardive dyskinesia 431
Temperature 255
Thigmotaxis 332
Tianeptine 226
Tolerance 77, 359, 525
Toxicity 489

Vinca alkaloids 147

Water maze 23 Withdrawal 525 Withdrawal signs 292 Withdrawal symptoms 292

Yawning 62

ZK 93426 1